

1 1/2 / Re Alt A
LP
10-29-77

Atty. Ref.: 3816-15

Group:

Examiner:

For: TUBE PLATE FOR TUBE BUNDLES FOR CHEMICAL REACTORS AND
HEAT EXCHANGERS IN GENERAL

* * * * *

November 21, 2001

Assistant Commissioner for Patents
Washington, DC 20231

Sir:

PRELIMINARY AMENDMENT

In order to place the above-identified application in better condition for examination, please amend the application as follows:

IN THE CLAIMS

Please substitute the following amended claims for corresponding claims previously presented. A copy of the amended claims showing current revisions is attached.

Sub 3> 3. Tube plate (10) according to claim 1, characterised in that the said is
components (11, 12) which form the said tube plate (10) are joined to one
another by
means of a plurality of pins (15), which are inserted in corresponding holes
provided in the respective components (11, 12).

Sub 2> 7. Tube plate (10) according to claim 1, characterised in that it is constituted by
means of a pair of semi-circular components (11, 12), which are joined to one
another along a median line.

8. Tube plate (10) according to claim 1, characterised in that, in order to
guarantee the sealing, seals of any type can be used.

9. Tube plate (10) according to claim 1, characterised in that the said mechanical
connections between the components (11, 12) of the said plate (10) can be
selected from amongst braces, screws, wedges, cams, and other types of
mechanical connection.

REMARKS

This preliminary amendment eliminates multiple dependencies in the claims, and thereby places the claims in conformance with U.S. Patent practice.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page(s) is captioned "**Version With Markings To Show Changes Made.**"

Respectfully submitted,

NIXON & VANDERHYE P.C.

By:

Michael J. Keenan
Reg. No. 32,106

MJK:ecb
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE CLAIMS

3. Tube plate (10) according to claim 1 ~~or claim 2~~, characterised in that the said is components (11, 12) which form the said tube plate (10) are joined to one another by means of a plurality of pins (15), which are inserted in corresponding holes provided in the respective components (11, 12).

7. Tube plate (10) according to ~~one or more of the preceding claims~~ 1, characterised in that it is constituted by means of a pair of semi-circular components (11, 12), which are joined to one another along a median line.

8. Tube plate (10) according to ~~one or more of the preceding claims~~ 1, characterised in that, in order to guarantee the sealing, seals of any type can be used.

9. Tube plate (10) according to ~~one or more of the preceding claims~~ 1, characterised in that the said mechanical connections between the components (11, 12) of the said plate (10) can be selected from amongst braces, screws, wedges, cams, and other types of mechanical connection.